

MMO Operational Heater Control Start by OBCP
 File: JX-FCP-003.xls
 Author: a.dietz-bc



Procedure Summary

Objectives

The objective of this OBCP is to switch MMO to the MMO cruise standby mode of the MMO cruise active mode from the MMO cruise initial mode.

Note this OBCP is also started as part of the MMO switch to Standby mode (see procedure JX-FCP-001).

Summary of Constraints

n/a

Spacecraft Configuration

Start of Procedure

MMO in Cruise Initial Mode

End of Procedure

MMO in Cruise Standby Mode

Reference File(s)

Input Command Sequences

Output Command Sequences

AJXF003A

Referenced Displays

ANDs	GRDs	SLDs
DJXA0001		(None)
DJXA0002		


Configuration Control Information

DATE	FOP ISSUE	VERSION	MODIFICATION DESCRIPTION	AUTHOR	SPR REF
20/02/2017		1	Created	a.dietz-bc	
12/04/2017		1.01	Update of AND display information	a.dietz-bc	
13/12/2017		2	Update of TM descriptions after database changes.	a.dietz-bc	
13/12/2017		2.01	Added note on the expected TM status at the end.	a.dietz-bc	

MMO Operational Heater Control Start by OBCP
File: JX-FCP-003.xls
Author: a.dietz-bc



Procedure Flowchart Overview



MMO Operational Heater Control Start by OBCP File: JX-FCP-003.xls Author: a.dietz-bc	
--	--

Step	Label/Time	Activity/Remarks/Branch	CK	Display
Beginning of Procedure				
Beginning of Sequence				
ADUMMYSQ		Preconditions TimeTag type : B		
1		Preconditions Next step(s): -> 2		
1.1		Check MMO in initial mode		
		Check that the MMO is in Cruise active mode.		
		Verify Telemetry NPWD1601 MMO-CNV-A-ON-ST = On		AND=DJXA0001 PKT=YCD0Z066
		Verify Telemetry NRUD4002 MMO_CNV_A_RLY_ST-A = Main		AND=DJXA0001 PKT=YCD0Z068
		OR		
		Verify Telemetry NPWD1602 MMO-CNV-B-ON-ST = On		AND=DJXA0001 PKT=YCD0Z066
		Verify Telemetry NRUD3002 MMO_CNV_B_RLY_ST-A = Main		AND=DJXA0001 PKT=YCD0Z068
		Check that the operational heater control is not yet started.		
		Verify Telemetry NJXD0022 TCS_MODE_ST = STBY		AND=DJXA0002 PKT=YCL0Z001
		Verify Telemetry NJXD0024 PCD_DRU_PSU_A_ON_OF = OFF		AND=DJXA0002 PKT=YCL0Z001
		Verify Telemetry NJXD0025 PCD_DRU_PSU_B_ON_OF = OFF		AND=DJXA0002 PKT=YCL0Z001

MMO Operational Heater Control Start by OBCP
 File: JX-FCP-003.xls
 Author: a.dietz-bc



Step	Label/Time	Activity/Remarks/Branch	CK	Display
ADUMMYSQ		End of Sequence		
AJXF003A		Beginning of Sequence MMO HTR CTL OBCP TimeTag type : B		
2		Start MMO Operational Heater Control Next step(s): -> END		
	+00.00.00	Execute Telecommand ZJXK4242 Start OBCP: MMO Op. Heater Control Start TC Control Flags: GBM IL DSE --Y -- ---		
		The start of the MMO Operational Heater Control Start OBCP will be signalled by the following event:		
		Verify Packet Reception YCDV36B4 DMS OBCP Load and Start Success TM(5,1), APID 167 (10/7) PI1=14004 PI2=0		
		NCDBFA4H OBCP Identifier = 4242 <dec>		(None)
		The OBCP checks that the MMO is already in Cruise Initial mode, check the operational heater control status and the DRU temperature, before it starts the operational heater control.		
		The end of the OBCP will be signalled by the following event:		
		Verify Packet Reception YCDV36B0 DMS OBCP has been stopped TM(5,1), APID 167 (10/7) PI1=14000 PI2=0		
		NCDBFA0H OBCP Identifier = 4242 <dec>		(None) PKT=YCDV36B0
		The OBCP should be finished within 3 minutes.		
		Verify that the operational heater control is started.		
		Verify Telemetry NJXD0022 TCS_MODE_ST = NMNL		AND=DJXA0002 PKT=YCL0Z001

MMO Operational Heater Control Start by OBCP File: JX-FCP-003.xls Author: a.dietz-bc	 
--	---

Step	Label/Time	Activity/Remarks/Branch	CK	Display
		Verify Telemetry NJXD0024 PCD_DRU_PSU_A_ON_OF = ON		AND=DJXA0002 PKT=YCL0Z001
		OR		
		Verify Telemetry NJXD0025 PCD_DRU_PSU_B_ON_OF = ON		AND=DJXA0002 PKT=YCL0Z001
		Note that it is expected that the PCD_DRU_PSU_A will be switched on. In case the B unit is on, a failure must have occurred on the A unit.		
AJXF003A		End of Sequence		
End of Procedure				